JOURNAL OF BIOMEDICAL MATERIALS RESEARCH

Editor-in-Chief:
James M. Anderson
University Hospitals of Cleveland
The Institute of Pathology of Case Western Reserve University
2074 Abington Road
Cleveland, OH 44106-2622

ASSISTANT EDITORS

John Brunski
Nobuo Nakabayashi
Robert M. Pilliar
John A. M. Ramshaw
Buddy Ratner
June Wilson-Hench

Editorial Board:

Toshihiro Akaike
Luigi Ambrosio
Kenneth J. Anusavice
Robert E. Baier
Sumner A. Barenberg
Lars M. Bjursten
Barbara D. Boyan
John L. Brash
Stanley A. Brown
Patrick T. Cahalan
Attar S. Chawla
Stephen D. Cook
Francis W. Cooke
Stuart L. Cooper
John E. Davies
Paul Ducheyne
Elaine Duncan
Jan Feijen
Jean A. Goggins
Steven R. Goldring
Steven L. Goodman
Stuart B. Goodman
Ulrich Gross
Robert Guidoin
Stephen R. Hanson
Garth W. Hastings
Kevin E. Healy
Michael N. Helmus
Larry L. Hench
Arne Hensten-Pettersen
Anne Hiltner
Allan S. Hoffman
Jeffrey O. Hollinger
Thomas Horbett
C. Rolfe Howlett
Jeffery A. Hubbell
Samuel F. Hulbert
Jean T. Jacob
Raju G. Kammula
Sandra S. Kaplan
J. Lawrence Katz
Sung Wan Kim
Un Young Kim
Joachim Kohn
Tadashi Kokubo
Kandice Kottke-Marchant
Martine LaBerge
William R. Lacefield
Cato T. Laurencin
Racquel Z. LeGeros
Jack Lemons
Linda C. Lucas
Roger E. Marchant
Takehisa Matsuda
Katharine Merritt
Antonios G. Mikos
Ivar A. Mjor
Peter Neuenschwander
Sharon J. Northup
Teruo Okano
Joon B. Park
J. Russell Parsons
Nicholas A. Peppas
Grace Lee Picciolo
Hanns Plenk
W. Monty Reichert
Clare M. Rimnac
Subrata Saha
Jeff M. Schakenraad
Frederick J. Schoen
Michael V. Sefton
Viktor L. Sevastianov
Steven M. Slack
Myron Spector
L. D. Timmie Topoleski
Michel Vert
Andreas von Recum
Leo Vroman
William R. Wagner
Jerome A. Werkmeister
David F. Williams
Ioannis V. Yannas
Nicholas P. Ziats

Assistant to the Editor:
Bonnie Berry

Editorial Production, John Wiley:
Michael J. Evans

Journal of Biomedical Materials Research (ISSN: 0021–9304) Volumes 39–43 are published monthly except semi-monthly in January, February, March, April, July, August, October, and November 1998 by John Wiley & Sons, Inc.

Copyright © 1998 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under Sections 107 or 108 of the United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (508) 750-8400, fax (508) 750-4470. Periodicals postage paid at New York, NY, and at additional mailing offices. Applied Biomaterials (Vol. 43, numbers 1–4) will be sent via Standard mail.

The code and copyright notice appearing at the bottom of the first part of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal use of specific clients, on the condition that the copier pat for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

SUBSCRIPTION PRICE: (volumes 39–43, 1998): $2,995.00 in the U.S., $3,195.00 in Canada and Mexico, $3,345.00 outside North America. All subscriptions outside US will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit andwhere reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please call (212) 850-6645 or e-mail: SUBINFO@wiley.com.

POSTMASTER: Send address changes to *Journal of Biomedical Materials Research*, Caroline Rothaug, Director, Subscription Fulfillment and Distribution, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158.

ADVERTISING SALES: Advertising inquiries should be addressed to: Rosealee Lee, ARDEL, Inc., 6518 Walker Street, Suite 150, Minneapolis, MN 55426. Telephone (612) 927-8108. Fax (612) 927-8127.

REPRINTS: Reprint sales and inquiries should be directed to the customer service department, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158. Tel: 212-850-8776.

OTHER CORRESPONDENCE: Address all other correspondence to: *Journal of Biomedical Materials Research*, Publisher, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

MANUSCRIPTS and correspondence concerning manuscripts under review should be sent to the Editor. *Information for Contributors* appears in the first and last issue of each volume. The contents of this journal are indexed in the following: *BIOSIS, Current Contents/Life Sciences, Engineering Index, Excerpta Medica, Index Medicus, Reference Update, Research Alert (**ISI**), Science Citation Index (ISI), SCISEARCH Database (ISI),* and *Biomedical Engineering Citation Index (BECI).*

This paper meets the requirements of ANSI/NISO #Z39.48-1992 (Permanence of Paper). ♾

Journal of Biomedical Materials Research
Author Index—Volume 41

Abe, K. See Hamano, T., 257
—; See Hamano, T., 270
Akahane, M. See Yoshikawa, T., 568
Akashi, M. See Taguchi, T., 386
Alexander, H. See Toolan, B. C., 244
Allen, M. See MacDonald, D. E., 120
Anderson, J. M. See Jenny, C. R., 171
Anderson, J. See Collier, T., 192
Anderson, W. See Holder, Jr., W. D., 412
Anusavice, K. J. See DeHoff, P. H., 614
Assad, M.
—; Yahia, L. H.; Rivard, C. H.; Lemieux, N.: *In vitro* biocompatibility assessment of a nickel–titanium alloy using electron microscopy *in situ* end-labeling (EM-ISEL), 154
Autieri, J. See Baker, L. C., 312
Ayhan, H. See Rad, A. Y., 349
Ayukawa, Y.
—; Takeshita, F.; Inoue, T.; Yoshinari, M.; Shimono, M.; Suetsuga, T.; Tanaka, T.: An immunoelectron microscopic localization of noncollagenous bone proteins (osteocalcin and osteopontin) at the bone–titanium interface of rat tibiae, 111

Baker, L. C.
—; Davis, W. C.; Autieri, J.; Watach, M. J.; Yamazaki, K.; Litwak, P.; Wagner, W. R.: Flow cytometric assays to detect platelet activation and aggregation in device-implanted calves, 312
Barralet, J.
—; Best, S.; Bonfield, W.: Carbonate substitution in precipitated hydroxyapatite: An investigation into the effects of reaction temperature and bicarbonate ion concentration, 79
Batzer, R.
—; Liu, Y.; Cochran, D. L.; Szmuckler-Moncler, S.; Dean, D. D.; Boyan, B. D.; Schwartz, Z.: Prostaglandins mediate the effects of titanium surface roughness on MG63 osteoblast-like cells and alter cell responsiveness to $1\alpha,25\text{-}(OH)_2D_3$, 489
Beckman, E. J. See Deible, C. R., 251
Bendall, S. P.
—; Gaies, M.; Frondoza, C.; Jinnah, R. H.; Hungerford, D. S.: Effect of particulate bioactive glass on human synoviocyte cultures, 392
Bennett, S. See Schmitt, J. M., 584
Berman, S. S. See Salzmann, D. L., 364
Bertrand, P. See Lhoest, J.-B., 95
Best, S. M. See Fernández, E., 560
Best, S. See Barralet, J., 79
Bhat, V. D.
—; Truskey, G. A.; Reichert, W. M.: Fibronectin and avidin–biotin as a heterogeneous ligand system for enhanced endothelial cell adhesion, 377
Bigi, A.
—; Cacchioli, A.; Fichera, A. M.; Gabbi, C.; Koch, M. H. J.; Ragionieri, L.; Ripamonti, A.; Roveri, N.: X-ray diffraction and polarizing optical microscopy investigation of the structural organization of rabbit tibia, 289
Blaauw, E. H. See van Wachem, P. B., 142
Blomgren, A. K. See Dhert, W. J. A., 574
Bohic, S. See Weiss, P., 167
Bonfield, W. See Barralet, J., 79
—; See Rehman, I., 162
Boskey, A. L. See MacDonald, D. E., 120
Bowles, C. Q. See Miller, R. G., 237
Boyan, B. D. See Batzer, R., 489
Brennan, A. B. See West, J. K., 8
Bres, E. See Midy, V., 405
Buck, D. See Schmitt, J. M., 584
Buechter, D. See Schmitt, J. M., 584
Burg, K. J. L. See Holder, Jr., W. D., 412

Cacchioli, A. See Bigi, A., 289
Cahalan, P. T. See van Wachem, P. B., 142
Caiazza, S. See Malchiodi-Albedi, F., 608
Cametti, C. See Santini, M. T., 211
Catelas, I.
—; Huk, O. L.; Petit, A.; Zukor, D. J.; Marchand, R.; Yahia, L'H.: Flow cytometric analysis of macrophage response to ceramic and polyethylene particles: Effects of size, concentration, and composition, 600
Cenni, E. See Ciapetti, G., 455
Chamberland, D. L. See Wheeler, D. L., 527
Chang, C.-Y. See Chen, J.-H., 633
Chappelow, C. C. See Miller, R. G., 237
Chaubet, F. See de Raucourt, E., 49
Chen, J.-H.
—; Wei, J.; Chang, C.-Y.; Laiw, R.-F.; Lee, Y.-D.: Studies on segmented polyetherurethane for biomedical application: Effects of composition and hard-segment content on biocompatibility, 633
Christoforou, C. See Schmitt, J. M., 584
Ciapetti, G.
—; Granchi, D.; Verri, E.; Savarino, L.; Cenni, E.; Savioli, F.; Pizzoferrato, A.: Fluorescent microplate assay for respiratory burst of PMNs challenged *in vitro* with orthopedic metals, 455
Clark, A. E. See West, J. K., 8
Cochran, D. L. See Batzer, R., 489
Collier, T.
—; Tan, J.; Shive, M.; Hasan, S.; Hiltner, A.; Anderson, J.: Biocompatibility of poly(etherurethane urea)

containing dehydroepiandrosterone, 192
Colton, E. See Jenny, C. R., 171
Cooper, E. See Scotchford, C. A., 431
Corbin, N. See Kawalec, J. S., 534
Cui, F. Z. See Wen, H. B., 227
Culberson, C. R. See Holder, Jr., W. D., 412

Daculsi, G. See Weiss, P., 167
Dao, L. See Jakubiec, B., 519
Dard, M. See Midy, V., 405
Davis, W. C. See Baker, L. C., 312
de Groot, K. See Wen, H. B., 227
de Leij, L. F. M. H. See Khouw, I. M. S. L., 202
de Raucourt, E.
—; Mauray, S.; Chaubet, F.; Maiga-Revel, O.; Jozefowicz, M.; Fischer, A. M.: Anticoagulant activity of dextran derivatives, 49
de Vries-Hospers, H. G. See van Wachem, P. B., 142
de Wijn, J. R. See Wen, H. B., 227
Dean, D. D. See Batzer, R., 489
DeFife, K. M. See Jenny, C. R., 171
DeHoff, P. H.
—; Anusavice, K. J.; Hojjatie, B.: Thermal incompatibility analysis of metal–ceramic systems based on flexural displacement data, 614
Deible, C. R.
—; Beckman, E. J.; Russell, A. J.; Wagner, W. R.: Creating molecular barriers to acute platelet deposition on damaged arteries with reactive polyethylene glycol, 251
DeLuca, P. P. See Puleo, D. A., 104
Denry, I. L.
—; Holloway, J. A.; Rosenstiel, S. F.: Crystallization kinetics of a low-expansion feldspar glass for dental applications, 398
Detrait, E. See Lhoest, J.-B., 95
Dhert, W. J. A.
—; Thomsen, P.; Blomgren, A. K.; Esposito, M.; Ericson, L. E.; Verbout, A. J.: Integration of press-fit implants in cortical bone: A study on interface kinetics, 574
Downes, S. See Scotchford, C. A., 431
Driessens, F. C. M. See Fernández, E., 560
Ducheyne, P. See Santos, E. M., 87
—; See Li, P., 341
Duggirala, S. S. See Puleo, D. A., 104
Dugré, F. J. See Jakubiec, B., 519

Eick, J. D. See Miller, R. G., 237
El-Ghannam, A.
—; Starr, L.; Jones, J.: Laminin-5 coating enhances epithelial cell attachment, spreading, and hemidesmosome assembly on Ti-6Al-4V implant material *in vitro*, 30
Elwing, H. B. See Tang, L., 333
Ericson, L. E. See Dhert, W. J. A., 574
Esposito, M. See Dhert, W. J. A., 574

Fernández, E.
—; Gil, F. J.; Best, S. M.; Ginebra, M. P.; Driessens, F. C. M.; Planell, J. A.: Improvement of the mechanical properties of new calcium phosphate bone cements in the $CaHPO_4$-α-$Ca_3(PO_4)_2$ system: Compressive strength and microstructureal development, 560
Fichera, A. M. See Bigi, A., 289
Fischer, A. M. See de Raucourt, E., 49
Flamma, F. See Santini, M. T., 211
Formisano, G. See Santini, M. T., 211
—; See Malchiodi-Albedi, F., 608
Frenkel, S. R. See Toolan, B. C., 244
Frondoza, C. See Bendall, S. P., 392

Gabbi, C. See Bigi, A., 289
Gaies, M. See Bendall, S. P., 392
Geerdes, B. P. See van Wachem, P. B., 142
Geurtsen, W.
—; Lehmann, F.; Spahl, W.; Leyhausen, G.: Cytotoxicity of 35 dental resin composite monomers/additives in permanent 3T3 and three human primary fibroblast cultures, 474
Gil, F. J. See Fernández, E., 560
Ginebra, M. P. See Fernández, E., 560
Gonzales, J. B. See Horowitz, S. M., 468
Granchi, D. See Ciapetti, G., 455
Gruber, H. E. See Holder, Jr., W. D., 412
Grunkemeier, J. M.
—; Tsai, W. B.; Horbett, T. A.: Hemocompatibility of treated polystyrene substrates: Contact activation, platelet adhesion, and procoagulant activity of adherent platelets, 657
Gruskin, E. See Schmitt, J. M., 584
Grzybowski, J. See Trafny, E. A., 593
Guidoin, R. See Jakubiec, B., 519
Gupta, V. See van Dijk, K., 624
Guterman, H. See Schwartz, M., 65

Haffegee, J. See Knight, D. P., 185
Hamano, T.
—; Teramoto, A.; Iizuka, E.; Abe, K.: Effects of polyelectrolyte complex (PEC) on human periodontal ligament fibroblast (HPLF) function. I. Three-dimensional structure of HPLF cultured on PEC, 257
—; Teramoto, A.; Iizuka, E.; Abe, K.: Effects of polyelectrolyte complex (PEC) on human periodontal ligament fibroblast (HPLF) function. II. Enhancement of HPLF differentiation and aggregation on PEC by L-ascorbic acid and dexamethasone, 270
Hasan, S. See Collier, T., 192
Hastings, G. W. See Wan, A. C. A., 541
Heiduschka, P. See Huber, M., 278
Hench, L. L. See West, J. K., 8
—; Bioactive materials: The potential for tissue regeneration (Founders Award, Society for Biomaterials 24th Annual Meeting, San Diego, CA, April 22–26, 1998), 511
Hendriks, M. See van Wachem, P. B., 142
Hercules, D. M. See Xu, K., 461
Hetherington, V. J. See Kawalec, J. S., 534
Hidaka, S. See Okamoto, Y., 221
Hiester, E. D. See Sacks, M. S., 131
Hiltner, A. See Collier, T., 192
Hlady, V. See Webb, K., 422
Ho, M.-W. See Knight, D. P., 185
Hoellrich, R. G. See Wheeler, D. L., 527
Hojjatie, B. See DeHoff, P. H., 614
Holder, Jr., W. D.
—; Gruber, H. E.; Moore, A. L.; Culberson, C. R.; Anderson, W.; Burg, K. J. L.; Mooney, D. J.: Cellular ingrowth and thickness changes in poly-L-lactide and polyglycolide matrices implanted subcutaneously in the rat, 412
Hollinger, J. See Schmitt, J. M., 584
Holloway, J. A. See Denry, I. L., 398
Hooper, K. A.
—; Macon, N. D.; Kohn, J.: Comparative histological evaluation of new tyrosine-derived polymers and poly (L-lactic acid) as a function of polymer degradation, 443
Horbett, T. A. See Grunkemeier, J. M., 657
Horowitz, S. M.
—; Luchetti, W. T.; Gonzales, J. B.; Ritchie, C. K.: The effects of cobalt chromium upon macrophages, 468

Hu, X. W. See Knight, D. P., 185
Huber, M.
—; Heiduschka, P.; Kienle, S.; Pavlidis, C.; Mack, J.; Walk, T.; Jung, G.; Thanos, S.: Modification of glassy carbon surfaces with synthetic laminin-derived peptides for nerve cell attachment and neurite growth, 278
Huh, W. W. See Puleo, D. A., 104
Huk, O. L. See Catelas, I., 600
Hungerford, D. S. See Bendall, S. P., 392

Ichijima, K. See Yoshikawa, T., 568
Iizuka, E. See Hamano, T., 257
—; See Hamano, T., 270
Inoue, T. See Ayukawa, Y., 111

Jakubiec, B.
—; Marois, Y.; Zhang, Z.; Roy, R.; Sigot-Luizard, M.-F.; Dugré, F. J.; King, M. W.; Dao, L.; Laroche, G.; Guidoin, R.: *In vitro* cellular response to polypyrrole-coated woven polyester fabrics: Potential benefits of electrical conductivity, 519
James, R. See Maloney, W. J., 371
Jansen, J. A. See Vercaigne, S., 41
—; See van Dijk, K., 624
Jenney, C. R.
—; DeFife, K. M.; Colton, E.; Anderson, J. M.: Human monocyte/macrophage adhesion, macrophage motility, and IL-4-induced foreign body giant cell formation on silane-modified surfaces *in vitro* (Student Research Award in the Master's Degree Candidate Category, 24th Annual Meeting of the Society for Biomaterials, San Diego, CA, April 22–26, 1998), 171
Jinnah, R. H. See Bendall, S. P., 392
Jones, J. See El-Ghannam, A., 30
Jozefowicz, M. See de Raucourt, E., 49
Jung, G. See Huber, M., 278
Junila, J. See Ryhänen, J., 481

Kallioinen, M. See Ryhänen, J., 481
Kangasniemi, I. See Peltola, T., 504
Kawalec, J. S.
—; Hetherington, V. J.; Melillo, T. C.; Corbin, N.: Evaluation of fibrocartilage regeneration and bone response at full-thickness cartilage defects in articulation with pyrolytic carbon or cobalt–chromium alloy hemiarthroplasties, 534
Kennedy, K. C.
—; Kusy, R. P.: Investigation of dual-staged polymerization and secondary forming of photopultruded, fiber-reinforced, methacrylate–copolymer composites, 549
Khor, E. See Wan, A. C. A., 541
Khouw, I. M. S. L.
—; van Wachem, P. B.; de Leij, L. F. M. H.; van Luyn, M. J. A.: Inhibition of the tissue reaction to a biodegradable biomaterial by monoclonal antibodies to IFN-γ, 202
Kienle, S. See Huber, M., 278
Kim, B.-S.
—; Mooney, D. J.: Engineering smooth muscle tissue with a predefined structure, 322
King, M. W. See Jakubiec, B., 519
Kishida, A. See Taguchi, T., 386
Knight, D. P.
—; Nash, L.; Hu, X. W.; Haffegee, J.; Ho, M.-W.: *In vitro* formation by reverse dialysis of collagen gels containing highly oriented arrays of fibrils, 185
Knowles, J. C. See Rehman I., 162
—; See Lopes, M. A., 649
Koch, M. H. J. See Bigi, A., 289
Koempel, J. A.
—; Patt, B. S.; O'Grady, K.; Wozney, J.; Toriumi, D. M.: The effect of recombinant human bone morphogenetic protein-2 on the integration of porous hydroxyapatite implants with bone, 359
Kohn, J. See Hooper, K. A., 443
Kost, J. See Schwartz, M., 65
Kowalska, K. See Trafny, E. A., 593
Kuru, L. See Lopes, M. A., 649
Kusy, R. P. See Kennedy, K. C., 549

Lacik, I. See Xu, K., 461
Lago, F. See Webber, W. L., 18
Laiw, R.-F. See Chen, J.-H., 633
Lapkowski, M. See Weiss, P., 167
Laroche, G. See Jakubiec, B., 519
Lee, H. B. See Lee, J. H., 304
Lee, J. H.
—; Lee, H. B.: Platelet adhesion onto wettability gradient surfaces in the absence and presence of plasma proteins, 304
Lee, Y.-D. See Chen, J.-H., 633
Leggett, G. J. See Scotchford, C. A., 431
Lehmann, F. See Geurtsen, W., 474
Lemieux, N. See Assad, M., 154
Leyhausen, G. See Geurtsen, W., 474
Lhoest, J.-B.
—; Detrait, E.; van den Bosch de Aguilar, P.; Bertrand, P.: Fibronectin adsorption, conformation, and orientation on polystyrene substrates studied by radiolabeling, XPS, and ToF SIMS, 95
Li, P.
—; Ducheyne, P.: Quasi-biological apatite film induced by titanium in a simulated body fluid, 341
Litwak, P. See Baker, L. C., 312
Liu, L. See Tang, L., 333
Liu, S. Y. See Okamoto, Y., 221
Liu, Y. See Batzer, R., 489
Lopes, M. A.
—; Knowles, J. C.; Kuru, L.; Santos, J. D.; Monteiro, F. J.; Olsen, I.: Flow cytometry for assessing biocompatibility, 649
Luchetti, W. T. See Horowitz, S. M., 468

Macaulay, W. See Shanbhag, A. S., 497
MacDonald, D. E.
—; Markovic, B.; Allen, M.; Somasundaran, P.; Boskey, A. L.: Surface analysis of human plasma fibronectin adsorbed to commercially pure titanium materials, 120
Mack, J. See Huber, M., 278
Macon, N. D. See Hooper, K. A., 443
Maiga-Revel, O. See de Raucourt, E., 49
Malchiodi-Albedi, F.
—; Perilli, R.; Formisano, G.; Scorcia, G.; Caiazza, S.: Perfluorodecalin modifies the pattern of cell arrangement and induces loss of neurites in rat retinal cultures, 608
Maloney, W. J.
—; Sun, D.-H.; Nakashima, Y.; James, R.; Smith, R. L.: Effects of serum protein opsonization on cytokine release by titanium-alloy particles, 371
Marchand, R. See Catelas, I., 600
Markovic, B. See MacDonald, D. E., 120
Marois, Y. See Jakubiec, B., 519
Mathiowitz, E. See Webber, W. L., 18
Matsumoto, T. See Ogiso, M., 296
Mauray, S. See de Raucourt, E., 49
McKellop, H. A. See Shen, F.-W., 71
McLoughlin, S. W. See Wheeler, D. L., 527
Melillo, T. C. See Kawalec, J. S., 534

Midy, V.
—; Rey, C.; Bres, E.; Dard, M.: Basic fibroblast growth factor adsorption and release properties of calcium phosphate, 405
Mikos, A. G. See Peters, S. J., 1
Miller S. T. See Peters, S. J., 1
Miller, R. G.
—; Bowles, C. Q.; Chappelow, C. C.; Eick, J. D.: Application of solubility parameter theory to dentin-bonding systems and adhesive strength correlations, 237
Miyazaki, K. See Okamoto, Y., 221
Monteiro, F. J. See Lopes, M. A., 649
Mooney, D. J. See Kim, B.-S., 322
—; See Holder, Jr., W. D., 412
Moore, A. L. See Holder, Jr., W. D., 412

Naert, I. See Vercaigne, S., 41
Nakashima, Y. See Maloney, W. J., 371
Nash, L. See Knight, D. P., 185
Niemelä, E. See Ryhänen, J., 481

O'Grady, K. See Koempel, J. A., 359
Ogiso, M.
—; Yamashita, Y.; Matsumoto, T.: Differences in microstructural characteristics of dense HA and HA coating, 296
Ohgushi, H. See Yoshikawa, T., 568
Okamoto, Y.
—; Hidaka, S.; Yamada, Y.; Ouchi, K.; Miyazaki, K.; Liu, S. Y.: Thermal analysis of bones from ovariectomized rats, 221
Olsen, I. See Lopes, M. A., 649
Ouchi, K. See Okamoto, Y., 221

Pätsi, M. See Peltola, T., 504
Patt, B. S. See Koempel, J. A., 359
Pavlidis, C. See Huber, M., 278
Peltola, T.
—; Pätsi, M.; Rahiala, H.; Kangasniemi, I.; Yli-Urpo, A.: Calcium phosphate induction by sol-gel-derived titania coatings on titanium substrates *in vitro*, 504
Pereira, D. S. See Toolan, B. C., 244
Perilli, R. See Santini, M. T., 211
—; See Malchiodi-Albedi, F., 608
Peter, S. J.
—; Miller S. T.; Zhu, G.; Yasko, A. W.; Mikos, A. G.: *In vivo* degradation of a poly(propylene fumarate)/β-tricalcium phosphate injectable composite scaffold (Student Research Award in the Doctoral Candidate Category, Society for Biomaterials 24th Annual Meeting, San Diego, CA, April 22–26, 1998), 1
Petit, A. See Catelas, I., 600
Pişkin, E. See Rad, A. Y., 349
Pizzoferrato, A. See Ciapetti, G., 455
Planell, J. A. See Fernández, E., 560
Puleo, D. A.
—; Huh, W. W.; Duggirala, S. S.; DeLuca, P. P.: *In vitro* cellular responses to bioerodible particles loaded with recombinant human bone morphogenetic protein-2, 104

Rad, A. Y.
—; Ayhan, H.; Pişkin, E.: Adhesion of different bacterial strains to low-temperature plasma-treated sutures, 349
Radin, S. See Santos, E. M., 87
Ragionieri, L. See Bigi, A., 289
Rahiala, H. See Peltola, T., 504
Rehman, I.
—; Knowles, J. C.; Bonfield, W.: Analysis of *in vitro* reaction layers formed on Bioglass® using thin-film X-ray diffraction and ATR-FTIR microspectroscopy, 162
Reichert, W. M. See Bhat, V. D., 377
Rey, C. See Midy, V., 405
Ripamonti, A. See Bigi, A., 289
Ritchie, C. K. See Horowitz, S. M., 468
Rivard, C. H. See Assad, M., 154
Roach, D. J. See Salzmann, D. L., 364
Rosenstiel, S. F. See Denry, I. L., 398
Roveri, N. See Bigi, A., 289
Roy, R. See Jakubiec, B., 519
Rubash, H. E. See Shanbhag, A. S., 497
Russell, A. J. See Deible, C. R., 251
Ryhänen, J.
—; Kallioinen, M.; Tuukkanen, J.; Junila, J.; Niemelä, E.; Sandvik, P.; Serlo, W.: *In vivo* biocompatibility evaluation of nickel-titanium shape memory metal alloy: Muscle and perineural tissue responses and encapsule membrane thickness, 481

Sacks, M. S.
—; Smith, D. B.; Hiester, E. D.: The aortic valve microstructure: Effects of transvalvular pressure, 131
Saikko, V.
—; A multidirectional motion pin-on-disk wear test method for prosthetic joint materials, 58
Sakamoto, N. See Taguchi, T., 386
Salovey, R. See Shen, F.-W., 71
Salzmann, D. L.
—; Yee, D. C.; Roach, D. J.; Berman, S. S.; Williams, S. K.: Healing response associated with balloon-dilated ePTFE, 364
Sandvik, P. See Ryhänen, J., 481
Santini, M. T.
—; Cametti, C.; Formisano, G.; Flamma, F.; Perilli, R.: Effects of hyaluronan viscous materials on cell membrane electrical properties, 211
Santos, E. M.
—; Radin, S.; Shenker, B. J.; Shapiro, I. M.; Ducheyne, P.: Si-Ca-P xerogels and bone morphogenetic protein act synergistically on rat stromal marrow cell differentiation *in vitro*, 87
Santos, J. D. See Lopes, M. A., 649
Savarino, L. See Ciapetti, G., 455
Savioli, F. See Ciapetti, G., 455
Schmitt, J. M.
—; Buck, D.; Bennett, S.; Skalla, W.; Christoforou, C.; Buechter, D.; Gruskin, E.; Hollinger, J.: Assessment of an experimental bone wax polymer plus TGF-β_1 implanted into calvarial defects, 584
Schwartz, M.
—; Guterman, H.; Kost, J.: Electrical properties of glucose-sensitive hydrogels: Swelling and conductivity relationships, 65
Schwartz, Z. See Batzer, R., 489
Scorcia, G. See Malchiodi-Albedi, F., 608
Scotchford, C. A.
—; Cooper, E.; Leggett, G. J.; Downes, S.: Growth of human osteoblast-like cells on alkanethiol on gold self-assembled monolayers: The effect of surface chemistry, 431
Serlo, W. See Ryhänen, J., 481
Shanbhag, A. S.
—; Macaulay, W.; Stefanovic-Racic, M.; Rubash, H. E.: Nitric oxide release by macrophages in response to particulate wear debris, 497
Shapiro, I. M. See Santos, E. M., 87
Shen, F.-W.
—; McKellop, H. A.; Salovey, R.: Morphology of chemically crosslinked ultrahigh molecular weight polyethylene, 71
Shenker, B. J. See Santos, E. M., 87
Shimono, M. See Ayukawa, Y., 111
Shive, M. See Collier, T., 192

Sigot-Luizard, M.-F. See Jakubiec, B., 519
Skalla, W. See Schmitt, J. M., 584
Smith, D. B. See Sacks, M. S., 131
Smith, R. L. See Maloney, W. J., 371
Somasundaran, P. See MacDonald, D. E., 120
Spahl, W. See Geurtsen, W., 474
Starr, L. See El-Ghannam, A., 30
Stefanovic-Racic, M. See Shanbhag, A. S., 497
Stokes, K. E. See Wheeler, D. L., 527
Suetsuga, T. See Ayukawa, Y., 111
Sun, D.-H. See Maloney, W. J., 371
Szmuckler-Moncler, S. See Batzer, R., 489

Taguchi, T.
—; Kishida, A.; Sakamoto, N.; Akashi, M.: Preparation of a novel funtional hydrogel consisting of sulfated glucoside-bearing polymer: Activation of basic fibroblast growth factor, 386
Takeshita, F. See Ayukawa, Y., 111
Tamai, S. See Yoshikawa, T., 568
Tan, J. See Collier, T., 192
Tanaka, T. See Ayukawa, Y., 111
Tang, L.
—; Liu, L.; Elwing, H. B.: Complement activation and inflammation triggered by model biomaterial surfaces, 333
Teramoto, A. See Hamano, T., 257
—; See Hamano, T., 270
Thanos, C. See Webber, W. L., 18
Thanos, S. See Huber, M., 278
Thomsen, P. See Dhert, W. J. A., 574
Toolan, B. C.
—; Frenkel, S. R.; Pereira, D. S.; Alexander, H.: Development of a novel osteochondral graft for cartilage repair, 244
Toriumi, D. M. See Koempel, J. A., 359
Trafny, E. A.
—; Kowalska, K.; Grzybowski, J.: Adhesion of *Pseudomonas aeruginosa* to collagen biomaterials: Effect of amikacin and ciprofloxacin on the colonization and survival of the adherent organisms, 593
Tresco, P. A. See Webb, K., 422
Truskey, G. A. See Bhat, V. D., 377
Tsai, W. B. See Grunkemeier, J. M., 657
Tuukkanen, J. See Ryhänen, J., 481

van den Bosch de Aguilar, P. See Lhoest, J.-B., 95
van Dijk, K.
—; Gupta, V.; Yu, A. K.; Jansen, J. A.: Measurement and control of interface strength of RF magnetron-sputtered Ca-PO coatings on Ti-6A1-4V substrates using a laser spallation technique, 624
van Luyn, M. J. A. See van Wachem, P. B., 142
—; See Khouw, I. M. S. L., 202
van Wachem, P. B.
—; Blaauw, E. H.; de Vries-Hospers, H. G.; Geerdes, B. P.; Woloszko, J.; Verhoeven, M. L. P. M.; Hendriks, M.; Cahalan, P. T.; van Luyn, M. J. A.: Tissue reactions to bacteria-challenged implantable leads with enhanced infection resistance, 142
—; See Khouw, I. M. S. L., 202
Verbout, A. J. See Dhert, W. J. A., 574
Vercaigne, S.
—; Wolke, J. G. C.; Naert, I.; Jansen, J. A.: Histomorphometrical and mechanical evaluation of titanium plasma-spray-coated implants placed in the cortical bone of goats, 41
Verhoeven, M. L. P. M. See van Wachem, P. B., 142
Verri, E. See Ciapetti, G., 455

Wagner, W. R. See Deible, C. R., 251
—; See Baker, L. C., 312
Walk, T. See Huber, M., 278
Wan, A. C. A.
—; Khor, E.; Hastings, G. W.: Preparation of a chitin–apatite composite by *in situ* precipitation onto porous chitin scaffolds, 541
Wang, T. G. See Xu, K., 461
Watach, M. J. See Baker, L. C., 312
Webb, K.
—; Hlady, V.; Tresco, P.A.: Relative importance of surface wettability and charged functional groups on NIH 3T3 fibroblast attachment, spreading, and cytoskeletal organization, 422
Webber, W. L.
—; Lago, F.; Thanos, C.; Mathiowitz, E.: Characterization of soluble, salt-loaded, degradable PLGA films and their release of tetracycline, 18
Wei, J. See Chen, J.-H., 633
Weiss, P.
—; Bohic, S.; Lapkowski, M.; Daculsi, G.: Application of FT-IR microspectroscopy to the study of an injectable composite for bone and dental surgery (Technical Note), 167
Wen, H. B.
—; de Wijn, J. R.; Cui, F. Z.; de Groot, K.: Preparation of calcium phosphate coatings on titanium implant materials by simple chemistry, 227
West, J. K.
—; Brennan, A. B.; Clark, A. E.; Zamora, M.; Hench, L. L.: Cyclic anhydride ring opening reactions: Theory and application, 8
Wheeler, D. L.
—; Stokes, K. E.; Hoellrich, R. G.; Chamberland, D. L.; McLoughlin, S. W.: Effect of bioactive glass particle size on osseous regeneration of cancellous defects, 527
Williams, S. K. See Salzmann, D. L., 364
Wolke, J. G. C. See Vercaigne, S., 41
Woloszko, J. See van Wachem, P. B., 142
Wozney, J. See Koempel, J. A., 359

Xu, K.
—; Hercules, D. M.; Lacik, I.; Wang, T. G.: Atomic force microscopy used for the surface characterization of microcapsule immunoisolation devices, 461

Yahia, L. H. See Assad, M., 154
Yahia, L'H. See Catelas, I., 600
Yamada, Y. See Okamoto, Y., 221
Yamashita, Y. See Ogiso, M., 296
Yamazaki, K. See Baker, L. C., 312
Yasko, A. W. See Peters, S. J., 1
Yee, D. C. See Salzmann, D. L., 364
Yli-Urpo, A. See Peltola, T., 504
Yoshikawa, T.
—; Ohgushi, H.; Akahane, M.; Tamai, S.; Ichijima, K.: Analysis of gene expression in osteogenic cultured marrow/hydroxyapatite construct implanted at ectopic sites: A comparison with the osteogenic ability of cancellous bone, 568
Yoshinari, M. See Ayukawa, Y., 111
Yu, A. K. See van Dijk, K., 624

Zamora, M. See West, J. K., 8
Zhang, Z. See Jakubiec, B., 519
Zhu, G. See Peters, S. J., 1
Zukor, D. J. See Catelas, I., 600

Journal of Biomedical Materials Research
Subject Index—Volume 41

Activation energy, 221
Additives, 474
Adherence to ρ-xylene, 349
Adherent, 657
Adhesion, 171, 593
Adhesion peptides, 278
Adhesives, 237
Adsorption, 405
Alkaline phosphatase, 270, 568
Alkanethiol self-assembled monolayer, 431
AM1, 8
Amikacin, 593
Amorphous zone, 111
Analysis of bimaterial strips, 614
Angioplasty, 251
Anhydrides, 8
Animal model, 244
Anticoagulant, 49
Aortic valve, 131
Apatite, 341, 541
Apatite-forming ability, 504
Apatitic crystals, 289
Arthroplasty, 574
Articular cartilage defects, 244
Artificial implants, 574
Aseptic loosening, 468, 497
Assembly, 185
Atomic force microscopy, 120, 461
Attachment, 30
Avidin–biotin, 377
Axonal growth, 278

Bacterial attachment, 349
Basic fibroblast growth factor, 386, 405
Bioactive glass, 527
Bioactive glasses, 162
Bioactive surface, 341
Bioactivity, 341
Bioadhesives, 237
Biocompatibility, 154, 192, 443, 481, 584, 608, 649
Biocompatibility assays, 312
Biodegradable polymer, 1
Biodegradation, 584
Bioglass®, 392
Biomaterials, 142, 202, 649, 657
Biomechanics, 527
Biomimetic coating, 341
Bioprostheses, 131
Biostability, 192
Blood compatibility, 633
Bone apatite, 560
Bone cracks, 534
Bone morphogenetic protein, 87, 104
Bone morphogenetic protein-2, 359
Bone reaction, 41
Bone resorption, 468
Bone substitute, 167
Bone tissue engineering, 1
Bone–titanium interface, 111
Bovine platelets, 312

Ca/P ratio, 296
Calcium phosphate, 167, 227, 405, 504
Calcium phosphate bone cements, 560
Calcium phosphate coatings, 624
Calcium phosphates, 574
Cancellous bone defect, 527
Carbonate, 79
Carbonated apatite, 405
Cartilage repair, 244
Cell activation, 519
Cell adhesion, 278
Cell attachment, 422
Cell culture, 519, 633, 649
Cell cultures, 608
Cell spreading, 422
Cell–particle interactions, 497
Cell–surface interaction, 431
Cellular responses, 104
Ceramic and polyethylene particles, 600
Chemical treatment, 227
Chitin, 541
Chondrocyte transplantation, 244
CMDBS, 49
Cobalt chromium, 468
Cobalt–chromium alloy, 534
Collagen fibers, 131
Collagen fibrils, 289
Collagen membrane, 593
Collagen sponge, 593
Commercially pure titanium, 227
Complement activation, 333
Composites, 474, 549
Compressive strength, 560
Conductivity, 65, 519
Contact angle, 120
Contact angles, 349
Controlled release, 18
Corona discharge, 304
Crystallization, 398
Cubic leucite, 398
Cytocompatibility, 474
Cytokines, 371, 468
Cytoskeletal organization, 422
Cytotoxicity, 633

Dehydroepiandrosterone, 192
Dental restorative, 8
Dentin, 237
Dexamethasone, 568
Dextran derivatives, 49
Diabetes, 461
Differential thermal analysis, 221
Differentiation, 257, 270, 489

Electrochemical coupling, 278
Electron microscopy, 154
Endothelial cell adhesion, 377
Endovascular grafts, 364
Epithelial cells, 30
Excipients, 18

Feldspar glass, 398
Fiber-reinforced polymers, 549
Fibrocartilage regeneration, 534
Fibronectin, 95, 120, 377
Flow cytometry, 312, 600, 649
4META, 8
Foreign body giant cell, 171
FT-IR, 167
FTIR spectroscopy, 162

Genotoxicity, 154
Giant cells, 202
γ-irradiation, 71
Glucosyloxyethyl methacrylate (GEMA), 386
Gold surfaces, 333
Granulocytes (PMNs), 455
Growth substrates, 278

Healing, 364

Hemiarthroplasty, 534
Hemolysis, 633
Heparin cofactor II, 49
Heparin-like molecules, 386
Hip joint simulator, 58
Histology, 527
Human periodontal ligament fibroblast, 257, 270
Human synoviocytes, 392
Hyaluronan (hyaluronic acid), 211
Hydrogel, 386
Hydrogels, 65
Hydroxyapatite, 79, 296, 359, 541, 568

IFN-γ, 202
Immobilized enzymes, 65
Immunogold labeling, 154
Immunoisolation device, 461
Implant, 41, 185, 489
Implant surface, 120
Implants, 511, 649
in situ polymerizable biomaterials, 1
in situ precipitation, 541
in vitro, 162, 519
Indomethacin, 489
Infection, 142
Infection resistance, 142
Inflammation, 364
Inflammatory reactions, 202
Inflammatory responses, 333
Infrared, 167
Ingrowth, 412
Injectable biomaterial, 167
Interface strength, 624
Interleukin-4, 171
Interleukin expression, 519
Interpenetrating polymer networks, 237

K562 cells, 211

Laminin, 278
Laminin-5, 30
Light scattering, 131
Low-temperature plasma treatment, 349
Lyotropic, 185

Macrophage, 171
Macrophage response, 600
Macrophages, 202, 468
Maleic, 8
Marrow cell, 568
Maxwell–Wagner effect, 211
Membrane electrical properties, 211
Mercaptopropanoic acid, 431
Metal–ceramics, 614
Metals, 455
Methacrylates, 549
Microencapsulation, 461
Microspectroscopy, 167
Microspheres, 104
Microstructure, 398, 560
Model surfaces, 422
Molecular orbital models, 8
Monocytes/macrophages, 371
Monomers, 474
Morphology, 257

Neovascularization, 364
Nickel–titanium, 154
Nitinol, 481
Nitric oxide, 497
Nonadherant capsule, 511
Norbornene, 8

1α,25-$(OH)_2D_3$, 489
Octanethiol, 431
Oral fibroblasts, 474
Order, 185
Orientation, 185, 289
Osseointegration, 359
Osteoblast, 431
Osteoblasts, 104, 489
Osteocalcin, 111, 568
Osteochondral graft, 244
Osteointegration, 574
Osteolysis, 497
Osteopontin, 111
Osteoprogenitor cell differentiation, 87
Ovariectomy, 221

Particulate debris, 371
Passivation, 30
Perfluorodecalin, 608
Perineural response, 481
Permanent cells, 474
Peroxide crosslinking, 71
Phase transition, 185
Photopolymerization, 549
Photopultrusion, 549
Pin-on-disk wear testing, 58
Plasma spray, 41
Platelet activation, 312
Platelet adhesion, 304
Platelets, 251, 657
Polarized optical microscopy, 289
Poly (lactide-co-glycolide), 18
Poly-L-lactic acid, 322
Poly-L-lactide, 412
Poly(*d,l* lactide-co-glycolide), 104
Poly(DTE adipate), 443
Poly(DTE carbonate), 443
Poly(GEMA)-sulfate, 386
Poly(lactic acid), 443
Poly(propylene fumarate), 1
Polyelectrolyte complex, 257, 270
Polyester, 519
Polyethylene, 58
Polyethylene glycol, 251
Polyglycolic acid, 322
Polyglycolide, 412
Polymer processing, 71
Polymers, 364
Polymethylmethacrylate, 497, 511
Polypyrrole, 519
Polystyrene and tissue culture polystyrene, 95
Polyurethane, 192
Polyurethanes, 142
Precipitation, 79
Pressure, 131
Proliferation, 257, 270
Prostaglandin, 489
Prosthetic joint, 58
Protein adsorption, 304
Protein adsorption, orientation, and conformation, 95
Prothrombinase, 657
Pseudomonas aeruginosa, 593
Pyrolytic carbon, 534

Rabbit, 527
Radiolabeling, 95
Rat, 185, 221
Reactive oxygen species, 455
Release, 405
Responsive polymers, 65
Restenosis, 251
Retina, 608
RF magnetron sputter deposition, 624

17β-estradiol, 221
SDS-PAGE, 371
Segmented polyetherurethane (SPEU), 633
Shape memory alloy, 481
Silane, 171
Silane chemistry, 422
Simulated body fluid, 162, 504
Smooth muscle, 322
Sol-gel, 504
Solubility parameters, 237
Soluble salts, 18
Stress analysis, 614
Stress shield, 511
Subcutaneous implantation, 443
Substitution, 79
Succinic, 8
Surface characterization, 461
Surface chemistry, 431
Surface functionalization, 278
Surface modification, 142, 227, 251, 304
Surface roughness, 41, 489
Sutures, 349
Swelling, 65
Synthetic extracellular matrix, 322

Tetracycline, 18
Tetrahydrophthalic, 8
Thermal incompatibility, 614
Thermogravimetry, 221
Thiols, 333
Thrombin, 49, 657

Ti6Al4V, 227
Tissue culture, 392
Tissue engineering, 322, 412
Tissue response, 481
Titania coating, 504
Titanium, 41, 111, 120, 341, 489, 574
Titanium alloy, 30, 371, 497
TNFα, 392
ToF SIMS, 95
Total hip arthroplasty, 600
Total internal reflection fluorescence microscopy (TIRFM), 377
Total joint arthroplasty, 371
Traditional Chinese medicine, 221
Transforming growth factor-beta$_1$ (TGF-β_1), 584
2′,7′-dichlorofluorescin-diacetate, 455
Type I, 185
Tyrosine-derived polymers, 443

Ultrahigh molecular weight polyethylene, 71
Unsaturated polymer, 1

Vascularization, 412
Ventricular-assist devices, 312
Viscoelasticity, 614
Viscous materials, 211

Wax-like polymer, 584
Wear, 58, 71
Wear debris, 497
Wettability gradient surfaces, 304

X-ray diffraction, 162, 289, 398
X-ray diffractometry, 296
Xerogel, 87
XPS, 95

Zero net shrinkage, 8
Zeta potentials and surface charges of bacteria, 349